

TECHNICAL DATA SHEET

**RHEOSOLVE™ T 637**

Versatile Thickener

**TYPICAL CHARACTERISTICS**

Nature	<b>Acrylic copolymer</b>
Appearance	<b>Milky liquid</b>
Solid Content (%)	<b>30</b>
pH	<b>4</b>
Specific gravity	<b>1.06</b>

**DESCRIPTION**

Rheosolve™ T 637 is an acrylic thickener in aqueous dispersion for the household, industrial and institutional detergent industry. It provides a versatile thickening efficiency. Rheosolve™ T 637 is easy to use and provides instantaneous thickening effect.

**RECOMMENDED ADDITION LEVEL**

0.5 to 5%

**STANDARD PACKAGING**

- Other packaging may be available upon request
- 1000L IBC
  - 220L Drum
  - Bulk

**HANDLING & STORAGE**

The product can be irreversibly altered by frost. It should be protected from the effects of weathering and stored between 5 and 40°C and protected from direct sun exposure. Once opened, packaging should be resealed immediately after use.

Film-forming at the surface of the product and/or sedimentation at the bottom of the packaging may happen. These phenomenon are normal and have no impact on the level of performances as long as the product meet the specifications. It is recommended to filter the product prior to use with a 400µm or 40 mesh filter.

In these conditions, this product should be used within 6 months from delivery.

**HEALTH AND ENVIRONMENTAL DATA**

For safe handling please refer to the Safety Data Sheet. For more information about health and environmental data, please contact us.

**MARKETS**


**Health, Hygiene, & Beauty**

- Detergency & Cleaning
  - Fabric Care
  - Dish Care
  - Surface Care
  - I&I

**PH OF USE**

> 6.5

**KEY BENEFITS**

- Properties
  - High electrolyte tolerance
  - High surfactant compatibility
  - Versatile thickeners
- Thickening ability 

**Headquarters: Arkema France**  
51, Esplanade du Général de Gaulle  
92800 Puteaux – France  
T +33 (0)1 49 00 80 80