

TECHNICAL DATA SHEET

RHEOSPERSE™ 3840

Dispersing agent specifically designed for magnesium hydroxide slurries

TYPICAL CHARACTERISTICS

Nature	Polyether Polycarboxylate in aqueous solution
Appearance	Viscous liquid
Solid Content (%)	40
pH	4
Brookfield viscosity (mPa.s)	400
Specific gravity	1.07

DESCRIPTION

Rheospense™ 3840 is a dispersant developed for dispersion process of sparingly soluble minerals in water. It provides low viscosity and good stability to high solid content Mg(OH)₂ suspension.

RECOMMENDED ADDITION LEVEL

0.1 to 0.6 % d/d

STANDARD PACKAGING

Other packaging may be available upon request

- 1000L IBC

HANDLING & STORAGE

The product should be protected from the effects of weathering and stored between 5 and 40°C. Once opened, packaging should be resealed immediately after use.
In these conditions, this product should be used within 12 months from delivery.

HEALTH AND ENVIRONMENTAL DATA

For safe handling please refer to the Safety Data Sheet. For more information about health and environmental data, please contact us.

MARKETS

Mining & Metallurgy

- Minerals
 - Other Minerals
 - Magnesium Hydroxide

KEY BENEFITS

- Downstream market Water treatment
- Granulometry Coarse
- Suspension stability < 6 months
- Type of use Dispersion

Headquarters: Arkema France
51, Esplanade du Général de Gaulle
92800 Puteaux – France
T +33 (0)1 49 00 80 80