

# **GPS Safety Summary**

#### Substance Name:


**Didecanoyl peroxide** 

## 1. General Statement

Didecanoyl peroxide is primarily used as a polymerisation initiator. The substance is used at industrial stage and is not sold to consumers.

## 2. Chemical Identity

Brand names: Chemical name (IUPAC): CAS number(s): EC number: Molecular formula: Structure: Didecanoyl peroxide, Bisdecanoyl peroxide, Peroxide, bis(1oxodecyl) Luperox® DEC dinonylperoxyanhydride 762-12-9 212-092-1  $C_{20}H_{38}O_4$ 



# 3. Use and applications

The substance is primarily used as a radical initiator to induce polymerisation (free radical polymerisation process) for the manufacture of plastic.

## 4. Physical / Chemical properties

Organic peroxides are thermally unstable substances or mixtures, which can undergo exothermic self-accelerating decomposition.

Tert-amyl hydroperoxide is classified as Organic Peroxide, Type C, H242 (see section 8 and 9 below):

Property	Value
Physical state	Solid at 20°C and 1013 hPa
Form	Flakes
Particle size	Median size >500 μm
	<1% of particles have a size below 100 $\mu$ m
Colour	White
Odour	Mild, musty
Molecular weight	342.51 g/mol
Density	1.077 g/cm <sup>3</sup> at 20°C
Vapour pressure	0.04 Pa at 20°C
Melting point	44°C at 1013hPa
Self-Accelerating Decomposition Temperature (SADT)	40°C
Explosive properties	Not classified as explosive
Water solubility	121.6 μg/L at 20°C
Octanol-water partition coefficient (LogKow)	>6.05 at 25°C

# 5. Health Effects

Effect Assessment	Result
Acute Toxicity Oral / inhalation / dermal	No acute toxic effects following oral and dermal exposures. No data following inhalation acute exposure.
Irritation / corrosion Skin / eye	Causes mild irritation to skin and eyes.
Sensitisation	Does not cause skin allergic reaction.
Toxicity after repeated exposure Oral / inhalation / dermal	Based on the available data on a similar substance, does not cause significant target organ toxicity after oral repeated exposure.
Genotoxicity / Mutagenicity	Does not cause in vitro genotoxic effects.
Carcinogenicity	No data available.
Reproductive / Developmental Toxicity	No data available.

# 6. Environmental Effects

Due to a low water solubility, the substance has no effect on aquatic organisms. It is also neither considered as PBT nor vPvB as the substance is readily biodegradable.

Effect Assessment	Result
Aquatic Toxicity	No effect up to the water solubility limit.

Fate and behaviour	Result
Biodegradation	Readily biodegradable
Bioaccumulation potential	Potentially bioaccumulable
PBT / vPvB conclusion	Not considered as PBT nor vPvB

## 7. Exposure

#### 7.1 Human health

The manufacture of organic peroxide is a closed process that occurs behind anti-deflagration walls, which minimizes worker exposure during the production process.

However, workers can be exposed during loading/unloading operations, mixing, sampling or maintenance operations.

The primary routes of industrial/professional exposure of the substance are skin contact and inhalation.

In addition, the general population is not expected to be exposed to this organic peroxide by inhalation, dermal or oral exposure, as the product does not remain in the plastic products.

Based on the risk assessment, risk is controlled when activities are carried out under conditions recommended in the extended safety data sheet (chapter 8 and exposure scenarios).

#### 7.2 Environment

Releases of organic peroxides into the environment are to be expected during production, processing (formulation) and industrial uses mainly via wastewater and lesser amounts via emissions of vapour (due to its physical state and its vapour pressure).

Potential release during production is treated by on-site and off-site risk management measures.

The substance is used for production of polymers, which can either be dry or wet processes. In case of wet processes, releases to water have to be directed to wastewater treatment plant.

The substance is used in low quantity in polymer production, and is almost totally consumed during the process. Therefore the release to environment is very low. On top of that, the substance has no effect up to its solubility limit and is readily decomposed in aquatic compartment. Therefore, the use is considered as safe for the environment (this was confirmed by a quantitative risk assessment performed in the framework of REACH regulation).

Human health measures		
Eye/Face protection	Safety glasses/goggles	
	Half-mask during the discharge	
Skin protection	Protective suit	
Hand protection	Gloves: PVC, neoprene (suitable gloves tested to EN374)	
Respiratory protection	Suitable respiratory equipment in case of insufficient ventilation	
Organizational measures	Ensure workers are duly trained to minimize exposure	
Engineering control	Provide sufficient air exchange and/or exhaust ventilation in work rooms	

## 8. Risk Management recommendations

#### Environmental measures

Can be discharged in waste water, when in compliance with local regulations. Do not spread sludge on natural soils.

Eliminate the product by incineration after dilution in a suitable flammable solvent (in accordance with local and national regulations) – amount of active oxygen must be below 1%.

### Storage and handling

Strictly limit the quantities of product in the work area to those which are absolutely necessary for the work in hand. Great cleanliness in work areas is a necessary and important factor for safety. Never weigh out in the storage room. Handle and open container with care (risk of over pressurization in containers). Eliminate all sources of ignition, and do not generate flames or sparks. Take precautionary measures against static discharges. Apply earthing when transferring from one container to another. Confinement must be avoided. Use explosion protected equipment.

Use non-sparking tools in areas where explosive vapor/air mixtures may occur. Keep product and emptied container away from heat and sources of ignition. Do not cut or weld on or near this container even when empty. Keep away from incompatible materials such as: strong oxidizing agents, powerful reducers, acids, bases, amines, transition metal salts, sulphur compounds, rust, ash, dusts (risk of self-accelerating exothermic decomposition)

Never return any product to the container from which it was originally removed (risk of decomposition).

Avoid temperatures above 15 °C (to maintain the technical properties of the product). Storage buildings must be built and equipped so as not to exceed the maximum proscribed temperature limit.

# 9. Regulatory Information / Classification and Labelling

#### 9.1 Regulatory Information

This substance has been registered under:

- EU Regulation EC 1907/2006 (REACH)

As organic peroxides are sensitive substances (as they are liable to exothermic decomposition), the carriage of tert-amyl hydroperoxide is strongly regulated, under the rules and conditions of class 5.2 of UN Recommendations on the Transport of Dangerous Goods regulation.

%	Form	UN Number	Classification	OP Category
100%	solid	UN 3114	OP Type C, Solid, Temperature controlled	Type C: the mixture possesses explosive properties but cannot detonate or deflagrate rapidly or undergo a thermal explosion when packaged

#### 9.2 Classification and labelling

Under GHS substances are classified according to their physical, health, and environmental hazards. The hazards are communicated via specific labels and the eSDS. GHS attempts to standardize hazard communication so that the intended audience (workers, consumers, transport workers, and emergency responders) can better understand the hazards of the chemicals in use. Substances registered for REACH are classified according CLP (EC) 1272/2008, implementation of the GHS in the European Union.

Classification		
<ul> <li>Organic peroxide; type C; Heating may cause a fire.</li> </ul>		
Pictograms		
— GHS02: Flame		
Hazard statement		
<ul> <li>H242: Heating may cause a fire.</li> </ul>		
Alternative classification according to Globally Harmonized System (GHS)		
None		

# **10.** Contact Information within Company

For further information on this substance or product safety summary in general, please contact:

- <u>arkema.peroxides-reach-uses@arkema.com</u>
- ICCA portal where the GPS Safety Summary is posted: <u>http://www.icca-chem.org/en/Home/ICCA-initiatives/global-product-strategy/</u>

# 11. Date of Issues / Revision

- Date of issue: 2013/11/30
- Date of revision:

## 12. Disclaimer

The information contained in this paper is intended as advice only and whilst the information is provided in utmost good faith and has been based on the best information currently available, is to be relied upon at the user's own risk.

# NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN.

No liability will be accepted by ARKEMA for damages of any nature whatsoever resulting from the use of or reliance on the information.